

RECEIVED
FEB 09 1990

**Coastal States
Energy Company**
A SUBSIDIARY OF THE COASTAL CORPORATION

0007

DIVISION OF
OIL, GAS & MINING

The Energy People

February 7, 1990

Mr. Harold Thompson
U.S. Environmental Protection Agency
Water Management Division (8WM-C)
1 Denver Place, Suite 500
999 - 18th Street
Denver, Colorado 80202-2413

Dear Mr. Thompson:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - A-2 and Utah Mining Code Section 817.52(b)(i)(ii), Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitation for total dissolved solids at the 001 discharge point.

The problem occurred with the sample taken January 11, 1990, which had a TDS concentration of 836 mg/l. This is the 25th time that this discharge has experienced an excursion above the 700 mg/l limitation beginning in August of 1987.

Fluctuations in water quality are routinely experienced and are a normal part of the mining process. Based on this understanding, an increase in the TDS limitation has been requested to cover these excursions. Action on this request is pending EPA approval.

Sincerely,

Keith W. Welch

Keith W. Welch
Environmental Coordinator

KWW/ak/2400A

xc: Division of Oil, Gas & Mining
Division of Environmental Health
Glen A. Zumwalt
Keith Zobell